

Astro 101 – Lab #3

Lab objectives

- 1) Learn about telescope magnifications, focal lengths and eyepieces
- 2) Learn about the light gathering power of the human eye verses different telescopes
- 3) Learn about Galileo’s discovery of the moons of Jupiter

Setup

This lab will be performed in the Stellarium (version 0.16.1 or newer) planetarium program. You can access the Stellarium Planetarium program on specific computers at the following computer labs

- OC Bremerton: ST 122 Computers: 1-4 and 41-50
- OC Poulsbo: OCP 106 Computers: 11-13
- OC Shelton: OCS PA2 Computers: 13-14

or you can download a free copy at <http://www.stellarium.org/> . Instructions for installing the program and system requirements can be found in the user’s guide.

1) Telescope Magnification

1a) Determine the magnifications of two telescopes with a combination of four different eyepieces. Fill out the table by calculating the magnifications with the equation given in class.

Eyepiece Focal length (mm)	Telescope-1000 Focal length 1000mm	Telescope-2000 Focal length 2000mm
40		
20		
10		
4		

Start up Stellarium, set the location to **Seattle**, and set the date & time to **2017-04-12 00:00:00**. Find Jupiter and zoom *in* until you can clearly see the 4 Galilean moons: Io, Europa, Ganymede & Callisto. Slowly zoom *out* until you can no longer distinguish all 4 Galilean moons, without difficulty.

1b) The largest field of view (FOV) where all 4 Galilean moons can be easily distinguished is: _____

Round off to
closest 1°

1c) Approximate the magnification needed to see the 4 Galilean Moons, by using the equation: $\frac{30^\circ}{\text{FOV}}$

Calculate the approximate magnification: _____

Continue zooming in on Jupiter until you can clearly see the Great Red Spot. Slowly zoom *out* until you can no longer distinguish it, without difficulty. Then slowly zoom *in* until it reappears.

1d) The largest field of view (FOV) where the Great Red Spot can be easily distinguished is: _____

Round off to
closest 0.1°

1e) Calculate the approximate magnification: _____

1f) For Telescope-1000, the Galilean Moons can be seen with which of the following eyepieces?

40mm 20mm 10mm 4mm Circle **all** the eyepieces that yield the necessary magnification

1g) For Telescope-2000, the Great Red Spot can be seen with which of the following eyepieces?

40mm 20mm 10mm 4mm Circle **all** the eyepieces that yield the necessary magnification

1h) What are the advantages & disadvantage of Telescope-1000 over Telescope-2000.

(Hint: the telescope focal lengths of 1000mm & 2000mm are **not** the sizes of the mirror/lens. The size of the mirror/lens will determine the telescope light gathering power and resolution.)

Telescope-1000 advantages: _____

Two advantages

Telescope-1000 disadvantage: _____

One disadvantage

2) Telescope Light Gathering Power

2a) Compare the light gathering power of various telescopes, with the human eye. Fill out the table below by calculating how many times more light, a telescope can gather, than the human eye by using the equation given in class.

Table 2a	Mirror or lens diameter (inches)	Light gathering power compared to human eye	Limiting magnitude
Human Eye	0.25	-----	6
Galileo Telescope	1		9.7
Refracting Telescope	3		12.1
Cassegrain Telescope	10		14.7
Newtonian Telescope	20		16.2
Keck Telescope	400		30

The limiting magnitude, listed in column 4, is the faintest brightness detectable with an instrument or the eye. The (apparent) magnitude is a measure of the brightness of an object when viewed from the Earth. The larger the magnitude value, the dimmer the object. For example: a magnitude 2.5 star, like Polaris, is dimmer than a magnitude 0.0 star, like Alpha Centauri (see the Magnitude scale in chapter 17.2 for more information). The human eye can see objects that are brighter than magnitude 6, like Polaris and Alpha Centauri. A telescope can gather a lot more light than the human eye, so you can see much fainter objects with larger magnitudes, like Neptune with a magnitude of 8.

2b) Using Stellarium, find the Great Nebula in Orion. Click on the *Constellations* Icon, the *Constellation Names* Icon, and the *Deep-sky objects* Icon on the *Main-Toolbar* to see the constellations and to label the locations of nebulas and galaxies. Point the cursor over the Great Nebula in Orion and left-click to bring up the *Magnitude* information (Hint: you may need to zoom *in* or zoom *out* on the Great Nebula before left-clicking). Is the Great Nebula in Orion bright enough to be seen with the unaided human eye? If not, then what is the smallest diameter telescope, from Table 2a, that will make it visible? Fill out the answers in the table for the Great Nebula in Orion and for the rest of the objects.

Object	Location Information	Magnitude	Visible to Eye (Yes/No)	Smallest diameter Telescope needed to be visible
Great Nebula	Orion			
Crab Nebula	Taurus			
Whirlpool Galaxy	Ursa Major			
For the Solar System objects below, set the date to 2017-5-5				
Io	Galilean Moons of Jupiter			
Europa				
Ganymede				
Callisto				
Pluto	Sagittarius			

Write 'Eye' if visible to the human eye

3) Galileo's discovery of the moons of Jupiter

Galileo's telescope had an effective (or usable) lens size of 1inch and a magnification of 20x.

3a) Objects viewed through Galileo's telescope appear _____ x larger than seen with the human eye.

Galileo's telescope had a resolution (resolving power) that is _____ x better than the human eye.

(Hint: use the equation given in class)

3b) Explain why the Moons of Jupiter were not discovered until the invention of Galileo's telescope, even though several moons are bright enough to be visible to the unaided human eye (Table 2b).

(Hint: Locate Jupiter and zoom in to a 1.5° FOV, which approximates Galileo's telescope. Then slowly zoom out until you reach a 30° FOV, which approximates the human eye. What do you notice about the 4 Galilean moons as you are zooming out? Explain why Galileo's telescope enables the moons to be visible. The answer is not the brightness of Jupiter compared with its moons.)